

**ART. Q260**

## KNURLED WASHER

**MATERIAL:**  
Duroplast.  
Oils and greases resistant.  
High temperatures resistant.


**SURFACE:**  
Glossy.

**COLOUR:**  
Black (RAL 9011).

**MAIN INSERT:**  
Zinc plated right through threaded bush.

### SPECIAL REQUESTS:

- It is possible to supply the inserts in different materials, on request and for quantities.



| Art.           | D  | H  | d  | h  | d1  | Weight (gr) |
|----------------|----|----|----|----|-----|-------------|
| Q26045.BM0601P | 47 | 10 | -  | -  | M06 | 31          |
| Q26045.BM0801P | 47 | 10 | -  | -  | M08 | 32          |
| Q26045.BM1001P | 47 | 10 | -  | -  | M10 | 34          |
| Q26045.BM1201P | 47 | 10 | -  | -  | M12 | 35          |
| Q26045.BM1401P | 47 | 10 | -  | -  | M14 | 38          |
| Q26045.BM1601P | 47 | 10 | -  | -  | M16 | 42          |
| Q26045.BM0801P | 60 | 16 | 30 | 11 | M08 | 62          |
| Q26045.BM1001P | 60 | 16 | 30 | 11 | M10 | 65          |
| Q26045.BM1201P | 60 | 16 | 30 | 11 | M12 | 68          |
| Q26045.BM1401P | 60 | 16 | 30 | 11 | M14 | 70          |
| Q26045.BM1601P | 60 | 16 | 30 | 11 | M16 | 73          |



**BOTECA**

ART. Q260

## KNURLED WASHER

### MATERIAL:

Duroplast.  
Oils and greases resistant.  
High temperatures resistant.

### SURFACE:

Glossy.

### COLOUR:


Black (RAL 9011).

### MAIN INSERT:

Zinc plated right through threaded bush.

### SPECIAL REQUESTS:

- It is possible to supply the inserts in different materials, on request and for quantities.



| Art.            | D    | H    | d    | h    | d1      | Weight (gr) |
|-----------------|------|------|------|------|---------|-------------|
| Q260-45 1/4-20  | 1,85 | 0,39 | -    | -    | 1/4-20  | 31          |
| Q260-45 5/16-18 | 1,85 | 0,39 | -    | -    | 5/16-18 | 32          |
| Q260-45 3/8-16  | 1,85 | 0,39 | -    | -    | 3/8-16  | 34          |
| Q260-45 1/2-13  | 1,85 | 0,39 | -    | -    | 1/2-13  | 35          |
| Q260-45 5/8-11  | 1,85 | 0,39 | -    | -    | 5/8-11  | 42          |
| Q260-60 5/16-18 | 2,36 | 0,63 | 1,18 | 0,43 | 5/16-18 | 62          |
| Q260-60 3/8-16  | 2,36 | 0,63 | 1,18 | 0,43 | 3/8-16  | 65          |
| Q260-60 1/2-13  | 2,36 | 0,63 | 1,18 | 0,43 | 1/2-13  | 68          |
| Q260-60 5/8-11  | 2,36 | 0,63 | 1,18 | 0,43 | 5/8-11  | 73          |



BOTECA



# ART. Q261

## LOBED WASHER

**MATERIAL:**  
Reinforced polyamide.  
Oils and greases resistant.


**SURFACE:**  
Satin.

**COLOUR:**  
Black (RAL 9011).

**MAIN INSERT:**  
Zinc plated right through threaded bush.

### SPECIAL REQUESTS:

- It is possible to supply the inserts in different materials, on request and for quantities.
- It is possible to supply colours as shown in the table at page 7, on request and for quantities.



| Art.           | D  | H  | d  | m   | h3  | d3 | d1  | Q  | Weight (gr) |
|----------------|----|----|----|-----|-----|----|-----|----|-------------|
| Q26140.TM0801P | 40 | 12 | 25 | 2   | 1,5 | 22 | M08 | 11 | 21          |
| Q26140.TM1001P | 40 | 12 | 25 | 2   | 1,5 | 22 | M10 | 11 | 22          |
| Q26140.TM1201P | 40 | 12 | 25 | 2   | 1,5 | 22 | M12 | 11 | 24          |
| Q26150.TM0801P | 50 | 14 | 25 | 3,5 | 1,5 | 32 | M08 | 13 | 31          |
| Q26150.TM1001P | 50 | 14 | 25 | 3,5 | 1,5 | 32 | M10 | 13 | 32          |
| Q26150.TM1201P | 50 | 14 | 25 | 3,5 | 1,5 | 32 | M12 | 13 | 35          |



**BOTECA**

# LOBED WASHER

**MATERIAL:**

Reinforced polyamide.  
Oils and greases resistant.

**SURFACE:**


Satin.

**COLOUR:**

Black (RAL 9011).

**MAIN INSERT:**

Zinc plated right through threaded bush.



| Art.            | D    | H    | d    | m    | h3   | d3   | d1      | Q    | Weight (gr) |
|-----------------|------|------|------|------|------|------|---------|------|-------------|
| Q261-40 5/16-18 | 1,57 | 0,47 | 0,98 | 0,08 | 0,06 | 0,87 | 5/16-18 | 0,43 | 21          |
| Q261-40 3/8-16  | 1,57 | 0,47 | 0,98 | 0,08 | 0,06 | 0,87 | 3/8-16  | 0,43 | 22          |
| Q261-40 1/2-13  | 1,57 | 0,47 | 0,98 | 0,08 | 0,06 | 0,87 | 1/2-13  | 0,43 | 24          |
| Q261-50 5/16-18 | 1,97 | 0,55 | 0,98 | 0,14 | 0,06 | 1,26 | 5/16-18 | 0,51 | 31          |
| Q261-50 3/8-16  | 1,97 | 0,55 | 0,98 | 0,14 | 0,06 | 1,26 | 3/8-16  | 0,51 | 32          |
| Q261-50 1/2-13  | 1,97 | 0,55 | 0,98 | 0,14 | 0,06 | 1,26 | 1/2-13  | 0,51 | 35          |



# ART. Q262

## KNURLED WASHER

**MATERIAL:**  
Reinforced polyamide.  
Oils and greases resistant.


**SURFACE:**  
Satin.

**COLOUR:**  
Black (RAL 9011).

**HOLE:**  
Molded right through threaded hole.

### SPECIAL REQUESTS:

- It is possible to supply the inserts with d1 diameter by customer design, on request and for quantities.



| Art.           | D  | H  | d  | c    | m   | h1 | h3 | d2   | d3 | d4 | d1      | Weight (gr) |
|----------------|----|----|----|------|-----|----|----|------|----|----|---------|-------------|
| Q26280.TB3001P | 81 | 24 | 50 | 14,5 | 9,5 | 1  | 10 | 43,5 | 32 | 74 | M30x1,5 | 65          |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |
|                |    |    |    |      |     |    |    |      |    |    |         |             |



**BOTECA**

# ART. Q263

## KNURLED WASHER

**MATERIAL:**  
Reinforced polyamide.  
Oils and greases resistant.


**SURFACE:**  
Satin.

**COLOUR:**  
Black (RAL 9011).

**HOLE:**  
Molded right through threaded hole.

### SPECIAL REQUESTS:

- It is possible to supply the inserts with d1 diameter by customer design, on request and for quantities.



| Art.           | D  | H  | d  | c  | m  | d2 | d1  | Weight (gr) |
|----------------|----|----|----|----|----|----|-----|-------------|
| Q26360.TM2001P | 60 | 25 | 30 | 12 | 13 | 35 | M20 | 38          |
| Q26360.TM2401P | 60 | 25 | 30 | 12 | 13 | 35 | M24 | 35          |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |
|                |    |    |    |    |    |    |     |             |



**BOTECA**

## ART. Q264

### 6 LOBE SCALLOP WASHER

**MATERIAL:**  
Reinforced polyamide.  
Oils and greases resistant.


**SURFACE:**  
Satin.

**COLOUR:**  
Black (RAL 9011).

**MAIN INSERT:**  
Brass right through threaded bush.

**SPECIAL REQUESTS:**

- It is possible to supply the inserts in different materials, on request and for quantities.
- It is possible to supply colours as shown in the table at page 7, on request and for quantities.



| Art.           | D  | H | d  | c | m | d1  | Weight (gr) |
|----------------|----|---|----|---|---|-----|-------------|
| Q26450.TM0501P | 50 | 8 | 25 | 7 | 1 | M06 | 18          |
| Q26450.TM0601P | 50 | 8 | 25 | 7 | 1 | M06 | 18          |
| Q26450.TM0801P | 50 | 8 | 25 | 7 | 1 | M08 | 18          |
| Q26450.TM1001P | 50 | 8 | 25 | 7 | 1 | M10 | 20          |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |
|                |    |   |    |   |   |     |             |



**BOTECA**

### MATERIAL:

**SURFACE:**

Satin.

**COLOUR:**

Black (RAL 9011).

**MAIN INSERT:**

Brass right through threaded bush.

**SPECIAL REQUESTS:**

- 

